

VAN QUICKENBORNE Damien Anne-Marie Pierre



Contact

ANCA Medical Centre
Kortrijkse steenweg 186/1
B-9830 Sint-Martens-Latem
Belgium

dr.vanquickenborne@heup.be

Personal Data

Date of Birth 11/04/1987
Nationality Belgian

Education

2022 - Present	University Ghent <i>PhD candidate: "Rotator Cuff of the Hip"</i>	Ghent, Belgium
2014 - 2020	University Ghent <i>Orthopaedic Surgery</i>	Ghent, Belgium
2006 - 2014	Vrije Universiteit Brussel (VUB) <i>Master in Medicine and Health Science (74.8%)</i>	Brussels, Belgium
2005 - 2006	University Ghent <i>Faculty of Pharmaceutical Sciences</i>	Ghent, Belgium
1999 - 2005	Sint-Janscollege <i>Economics-Mathematics (6h)</i>	Ghent, Belgium

Medical Practice

Orthopaedic Surgeon:

2020 - Present	ANCA Clinic	Ghent, Belgium
	Surgeries at Jan Palfijn Gent	Ghent, Belgium
	Surgeries at AZ Zeno	Knokke, Belgium

Orthopaedic Residency:

2014 - 2020 — Sint-Lucas Hospital (Brugge), Sint-Andries Hospital (Tielt), AZ Damiaan Hospital (Oostende) and UZ Gent (Ghent), Belgium

Publications

September 2011	Award winning Poster: Minimum 10 year follow-up of the Birmingham hip resurfacing Poster: Causes of revision of hip resurfacings from a european specialist independent centre Poster: The role of radiographs in the diagnosis of a problematic hip resurfacing Poster: Can we improve outcome following revision of hip resurfacing?	ISTA, Bruges, Belgium
January 2012	‘Gehoortverlies bij een bilaterale heupresurfacing’ (Dutch-language version)	Tijdschrift voor Geneeskunde
May 2012	Minimum 10 year follow-up of the Birmingham hip resurfacing	EFORT, Berlin
December 2012	Case Report: ‘Hearing loss in a patient with bilateral hip resurfacing’	Tijdschr. voor Geneeskunde, 68, nr. 23, 2012, 1147

March 2013	Systemic Toxicity of Metal Ions in a Metal-On-Metal Hip Arthroplasty population Clinical Orthopaedics and Related Research
March 2013	Metal Ions from Hip Resurfacing Decline Significantly at Ten Years The Journal of Bone and Joint Surgery, Am.
April 2013	The Hip Resurfacing Handbook K.De Smet M.D. – Acknowledgements
June 2014	Master Thesis “Impact of cement mantle thickness on local and systemic gentamicin concentrations in total hip arthroplasty”
April 2015	Radiographic Evaluation of Hip Resurfacing: Validation of a New Zonal System Orthopaedic Proceedings 95 (SUPP_15), 356-356
June 2018	Cement mantle thickness does not influence serum or local gentamicin concentrations in hybrid total hip arthroplasty: a randomised controlled trial. Hip Int. 2018 Jul;28(4):415-421
September 2018	An Epidemiological Survey of Venous Disease Among General Practitioner Attendees in Different Geographical Regions on the Globe: The Final Results of the Vein Consult Program. Angiology. 2018 Oct;69(9):779-785
December 2019	Randomized Control Trial comparing 9 different hip resurfacing designs with a follow-up of 5 years. Ann Joint 2019 http://dx.doi.org/10.21037/aoj.2019.12.04
August 2024	Victorian Institute of Sport Assessment questionnaire specifically tailored for greater trochanteric pain syndrome for the Dutch population. J Hip Preserv Surg. 2024 Aug
March 2025	Surgical technique for the open repair of grade 3–4 tears of the gluteus medius tendon of the hip: Technical note and case series. Int J Surg Case Rep. 2025 Mar
August 2025	First CE-marked ceramic hip resurfacing placed in the Benelux ANCA Clinic, Ghent
September 2025	What Imaging Technique Correlates Best with Surgical Findings in Gluteus Medius Tendon Tears? J Clin Med. 2025 Sep

Certificates

May 2015	Radioprotection Certificate Brussels, Belgium
September 2015	Good Clinical Practice Certificate Ghent, Belgium
October 2015	AO Basic Trauma Course Ovifat, Belgium

Extracurricular Medical Practice

See & Smile, Humanitarian Mission <i>Voluntarily Assistant in Surgery</i>	Monywa, Myanmar
---	------------------------